

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	196	("CROMER, DARYL CARVIS" or "LOCKER, HOWARD JEFFREY" or "TROTTER, ANDY LLOYD" or "WARD, JAMES PETER")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/30 07:51
L2	71	l1 and ((encrypt\$3 near\$2 ("portion" or "part" or "segment"))) with ("data" or ("token" adj "data") or message\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/30 07:59
L3	30	l2 and (((("client" or "customer" or "subscriber") adj computer\$1) or client\$1) with server\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/30 07:52
L4	8	l3 and ("key pair" or ("secure" adj "key pair"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/30 07:52
L5	61779	("INTERNATIONAL BUSINESS MACHINES CORP" or "INTERNATIONAL BUSINESS MACHINES")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/30 07:50
L6	174	l5 and ("CROMER, DARYL CARVIS" or "LOCKER, HOWARD JEFFREY" or "TROTTER, ANDY LLOYD" or "WARD, JAMES PETER")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/30 07:51
L7	65	l6 and ((encrypt\$3 near\$2 ("portion" or "part" or "segment"))) with ("data" or ("token" adj "data") or message\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/30 07:51
L8	28	l7 and (((("client" or "customer" or "subscriber") adj computer\$1) or client\$1) with server\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/30 07:53
L9	7	l8 and ("key pair" or ("secure" adj "key pair"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/30 07:53
L10	663629	((encrypt\$3 near\$2 ("portion" or "part" or "segment"))) with ("data" or ("token" adj "data") or message\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/30 07:52
L11	40698	l10 and (((("client" or "customer" or "subscriber") adj computer\$1) or client\$1) with server\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/30 08:00
L12	1863	l11 and ("key pair" or ("secure" adj "key pair"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/30 07:53

L13	1573	l12 and (((generat\$3 near\$3 ("key" adj "pair"))) with (("within" or "same") near\$2 server\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/30 07:54
L14	1	l13 and (generat\$3 with ("hardware" adj "key" adj "pair"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/30 07:55
L15	270	l13 and (((encrypt\$3 or decrypt\$3 or encod\$3 or decod\$3 or scrambl\$3 or descrambl\$3) adj ("data" or message\$1)) with ((record\$ or stor\$3 or sav\$3) near\$3 ("portable" adj (token\$1 or device\$1 or computer\$1 or unit\$1 or system\$1))))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/30 07:55
L16	99	l15 and (("local" or "remote") adj (computer\$1 or system\$1 or unit\$1 or device\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/30 07:56
L17	40	l16 and (((establish\$3 or provid\$3) near\$2 ("communication" or ("secure" adj "communication")) with (("local" or "remote") adj (computer\$1 or unit\$1 or device\$1 or system\$1))))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/30 07:56
L18	480	380/255	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/30 07:58
L19	391	l18 and ((encrypt\$3 near\$2 ("portion" or "part" or "segment")) with ("data" or ("token" adj "data") or message\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/30 07:59
L20	228	l19 and ((generat\$3 near\$3 ("key" adj "pair"))) with (("within" or "same") near\$2 server\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/30 08:00
L21	66	l20 and (((("client" or "customer" or "subscriber") adj computer\$1) or client\$1) with server\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/30 08:03
L22	66	l21 and ((generat\$3 near\$3 ("key" adj "pair"))) with (("within" or "same") near\$2 server\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/30 08:03
L23	19	l22 and ("key pair" or ("secure" adj "key pair"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/30 08:03

L24	206	380/259	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/30 08:02
L25	180	I24 and ((encrypt\$3 near\$2 ("portion" or "part" or "segment")) with ("data" or ("token" adj "data") or message\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/30 08:04
L26	46	I25 and (((("client" or "customer" or "subscriber") adj computer\$1) or client\$1) with server\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/30 08:04
L27	38	I26 and ((generat\$3 near\$3 ("key" adj "pair")) with (("within" or "same") near\$2 server\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/30 08:04
L28	19	I27 and ("key pair" or ("secure" adj "key pair"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/30 08:04
L29	6175	713/201	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/30 08:04
L30	3770	I29 and ((encrypt\$3 near\$2 ("portion" or "part" or "segment")) with ("data" or ("token" adj "data") or message\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/30 08:05
L31	2002	I30 and (((("client" or "customer" or "subscriber") adj computer\$1) or client\$1) with server\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/30 08:05
L32	1276	I31 and ((generat\$3 near\$3 ("key" adj "pair")) with (("within" or "same") near\$2 server\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/30 08:05
L33	224	I32 and ("key pair" or ("secure" adj "key pair"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/30 08:05
L34	605	713/150	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/30 08:05
L35	495	I34 and ((encrypt\$3 near\$2 ("portion" or "part" or "segment")) with ("data" or ("token" adj "data") or message\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/30 08:10

L36	208	I35 and (((("client" or "customer" or "subscriber") adj computer\$1) or client\$1) with server\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/30 08:08
L37	145	I36 and ((generat\$3 near\$3 ("key" adj "pair")) with (("within" or "same") near\$2 server\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/30 08:09
L38	42	I37 and ("key pair" or ("secure" adj "key pair"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/30 08:09
L39	1	I38 and ("portable" adj (token\$1 or key\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/30 08:07
L40	1	I33 and ("portable" adj (token\$1 or key\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/30 08:08
L42	603	705/64	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/30 08:08
L43	404	I42 and ((encrypt\$3 near\$2 ("portion" or "part" or "segment")) with ("data" or ("token" adj "data") or message\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/30 08:08
L44	121	I43 and (((("client" or "customer" or "subscriber") adj computer\$1) or client\$1) with server\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/30 08:10
L45	86	I44 and ((generat\$3 near\$3 ("key" adj "pair")) with (("within" or "same") near\$2 server\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/30 08:10
L46	28	I45 and ("key pair" or ("secure" adj "key pair"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/30 08:10
L48	121	705/74	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/30 08:10
L49	82	I48 and ((encrypt\$3 near\$2 ("portion" or "part" or "segment")) with ("data" or ("token" adj "data") or message\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/30 08:10

L50	26	l49 and (((("client" or "customer" or "subscriber") adj computer\$1) or client\$1) with server\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/30 08:10
L51	21	l50 and ((generat\$3 near\$3 ("key" adj "pair")) with (("within" or "same") near\$2 server\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/30 08:10
L52	7	l51 and ("key pair" or ("secure" adj "key pair"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/30 08:11
L53	106243	((("client" or "customer" or "subscriber") adj computer\$1) or client\$1) with server\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/30 08:12
L54	12630	l53 and ("client/server")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/30 08:12
L55	6759	l54 and ((encrypt\$3 near\$2 ("portion" or "part" or "segment")) with ("data" or ("token" adj "data") or message\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/30 08:12
L56	4499	l55 and ((generat\$3 near\$3 ("key" adj "pair")) with (("within" or "same") near\$2 server\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/30 08:13
L57	250	l56 and ("key pair" or ("secure" adj "key pair"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/30 08:13
L58	79	l57 and (("portable" adj (token\$1 or key\$1)) or smartcard\$1 or ("smart" adj card\$1) or ("IC" adj card\$1) or bankcard\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/30 08:14
L59	5	l28 and (("portable" adj (token\$1 or key\$1)) or smartcard\$1 or ("smart" adj card\$1) or ("IC" adj card\$1) or bankcard\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/30 08:17
L60	7	l23 and (("portable" adj (token\$1 or key\$1)) or smartcard\$1 or ("smart" adj card\$1) or ("IC" adj card\$1) or bankcard\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/30 08:18
L61	75	l33 and (("portable" adj (token\$1 or key\$1)) or smartcard\$1 or ("smart" adj card\$1) or ("IC" adj card\$1) or bankcard\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/30 08:18

L62	14	I38 and (("portable" adj (token\$1 or key\$1)) or smartcard\$1 or ("smart" adj card\$1) or ("IC" adj card\$1) or bankcard\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/30 08:19
L63	5	I46 and (("portable" adj (token\$1 or key\$1)) or smartcard\$1 or ("smart" adj card\$1) or ("IC" adj card\$1) or bankcard\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/30 08:19
L64	1	I52 and (("portable" adj (token\$1 or key\$1)) or smartcard\$1 or ("smart" adj card\$1) or ("IC" adj card\$1) or bankcard\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/30 08:19